

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/830,088	04/23/2004	Nobuhiko Oda	57810-101	7535
7590 06/28/2006			EXAMINER	
McDERMOTT, WILL & EMERY			SCHECHTER, ANDREW M	
600 13th Street	, N.W.			
Washington, DC 20005-3096			ART UNIT	PAPER NUMBER
•			2871	

DATE MAILED: 06/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Υ						
Office Action Summary		Application No.	Applicant(s)	12				
		10/830,088	ODA ET AL.					
		Examiner	Art Unit					
		Andrew Schechter	2871					
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It is communication to reply is specified above, the maximum statutory period we to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status								
1)⊠	Responsive to communication(s) filed on 23 Ap	oril 2004.						
·	This action is <b>FINAL</b> . 2b) ☐ This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
4)⊠	4)⊠ Claim(s) <u>1-23</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.								
	Claim(s) is/are allowed.							
6)□	Claim(s) is/are rejected.							
7)	Claim(s) is/are objected to.							
8)⊠	Claim(s) <u>1-23</u> are subject to restriction and/or e	election requirement.						
Applicati	ion Papers							
9)[]	The specification is objected to by the Examine	<b>r</b> .						
-	The drawing(s) filed on is/are: a) acce		Examiner.					
,—	Applicant may not request that any objection to the							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority (	under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:								
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of the prior	ity documents have been receive	ed in this National Stage					
	application from the International Bureau							
* 5	See the attached detailed Office action for a list	of the certified copies not receive	d.					
A44 - 1-	M-1							
Attachmen  1) Notice	t(s) e of References Cited (PTO-892)	4) 🗖 Into-: 0	(DTO 442)					
	e of Praftsperson's Patent Drawing Review (PTO-948)	4) ∐ Interview Summary Paper No(s)/Mail Da	ate					
3) 🔲 Infor	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	5)  Notice of Informal P 6)  Other:	atent Application (PTO-152)					

## **DETAILED ACTION**

Page 2

## Election/Restrictions

- 1. This application contains claims directed to the following patentably distinct species:
  - A) The reflective layer also functions as a source/drain electrode (see Fig. 2, and cf. claims 5, 6, and 20).
  - B) The reflective layer also functions as a gate electrode and storage capacitor electrode/line (see Fig. 9, and cf. claims 4, 7, 8, 13, 14, 18, and 21-23).
  - C) The reflective layer also functions as a black matrix (see Fig. 12, and cf. claim 9).

The species are independent or distinct because they are mutually exclusive and appear to be patentably distinct.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, claims 1-3, 10-12, 15-17, and 19 are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim

Application/Control Number: 10/830,088

Art Unit: 2871

is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species.

MPEP § 809.02(a).

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Application/Control Number: 10/830,088

Art Unit: 2871

Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew Schechter whose telephone number is (571) 272-2302. The examiner can normally be reached on Monday - Friday, 9:00 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Andrew Schechter Primary Examiner
Technology Center 2800
16 June 2006